

In the Specification

Please substitute the following paragraph for the fifth paragraph starting on page 53 of the specification.

Page 53, paragraph 1 (Currently Amended)

Examples of the carriers include various organic or inorganic carriers which are generally used in this field. For example, an excipient, a lubricant, a binder, a disintegrating agent, etc. are used in solid formulations, and a solvent, a solubilizer, a suspending agent, an isotonicizing agent, a buffer, a soothing agent, etc. are used in liquid formulations. In addition, if desired, an appropriate additive such as a preservative, an antioxidant, a colorant, a sweetener, etc. may be used. Suitable examples of the excipient include lactose, sucrose, D-mannitol, starch, crystalline cellulose, light silicic acid anhydride, etc. Suitable examples of the lubricant include magnesium stearate, calcium stearate, talc, colloidal silica, etc. Suitable examples of the binder include crystalline cellulose, sucrose, D-mannitol, dextrin, hydroxypropyl cellulose, hydroxypropylmethyl cellulose, polyvinyl-pyrrolidone, etc. Suitable examples of the disintegrating agent include starch, carboxymethyl cellulose, carboxymethyl cellulose calcium, croscarmellose sodium, sodium carboxymethyl starch, etc. Suitable examples of the solvent include water for injection, alcohol, propylene glycol, macrogol, sesame oil, corn oil, etc. Suitable examples of the solubilizer include polyethylene glycol, propylene glycol, D-mannitol, benzyl benzoate, ethanol, trisaminomethane, cholesterol, triethanolamine, sodium carbonate, sodium citrate, etc. Suitable examples of the suspending agent include surfactants such as stearyl triethanolamine, sodium laurylsulfate, laurylaminopropionic acid, lecithin, benzalkonium chloride, benzethonium chloride, glycerin monostearate, etc.; hydrophilic polymers such as

polyvinylalcohol, polyvinylpyrrolidone, sodium carboxymethyl cellulose, methyl cellulose, hydroxymethylcellulose, hydroxyethyl cellulose, hydroxypropyl cellulose, etc. Suitable examples of the isotonizing agent include sodium chloride, glycerin, D-mannitol, etc. Suitable examples of the buffer include a buffer solution of phosphate, acetate, carbonate, citrate, etc. Suitable examples of the soothing agent include benzylalcohol, etc. Suitable examples of the preservative include p-hydroxybenzoic acid esters, chlorobutanol, benzylalcohol, phenethylalcohol, ~~dehydroacetic~~ dehydroacetic acid, sorbic acid, etc. Suitable examples of the antioxidant include sulfites, ascorbic acid, etc.